

Technical Data

HiVeg™ Peptone

RM001V

Intended use

HiVeg[™] Peptone is an enzymic hydrolysate of vegetable proteins that gives comparable growth promoting properties as animal origin peptone. It is recommended for use as a culture media ingredient in variety of media as well as for commercial production of enzymes, vaccines, antibiotics and other products.

Warning and Precautions

Read the label before opening the container. Wear protective gloves/protective clothing/eye protection/ face protection. Follow good microbiological lab practices while handling specimens and culture. Safety guidelines may be referred in individual safety data sheets.

Limitations

1. It is biological origin product since variation in colour of powder and clarity may observed.

2. Each lot of the product has been tested for the organisms specified on the COA. It is recommended to users to validate

the medium for any specific microorganism other than mentioned in the COA based on the user's requirement.

3. Individual organisms differ in their growth requirement and may show variable growth patterns on the medium prepared by the product.

Performance and Evaluation

Performance of the medium is expected when used as per the direction on the label within the expiry period when stored at recommended temperature

Quality Control

- → Appearance : Light yellow to yellow, may have a slight green tinge homogeneous free flowing characteristic odour of protein, derived from vegetable source.
- → **Solubility :** Freely soluble in distilled/purified water, insoluble in alcohol.
- → Clarity: 1% w/v aqueous solution is clear to slight opalescent after autoclaving at 15 lbs pressure (121°C) for 15 minutes.
- \rightarrow **pH**: pH of 2% w/v aqueous solution at 25°C 5.5 7.5
- → Microbial Load :

Bacterial Count : <= 2000 CFU/gram by plate method, when incubated at 30-35°C for not less than 3 days Yeast & mould Count : <= 100 CFU/gram by plate method, when incubated at 20-25°C for not less than 5 days.

- → Test for pathogens : 1. Escherichia coli Absent/gram of sample 2. Salmonella species- Absent/10 gram of sample 3. Pseudomonas aeruginosa Absent/gram of sample 4. Staphylococcus aureus Absent/gram of sample 5. Candida albicans Absent/gram of sample 6. Clostridia Absent/gram of sample
- → Indole test : Tryptophan content: Passes

→ Cultural response : Cultural response observed after incubation at 35 - 37°C for 18-48 hours by preparing Nutrient HiVegTM Agar (MV001), using HiVegTM Peptone as an ingredient.

Organism	Growth
Escherichia coli ATCC 2592 (WDCM 00013)	Luxuriant
Pseudomonas aeruginosa ATCC 27853 (WDCM 00025)	Luxuriant
Staphylococcus aureus subsp. aureus ATCC 25923 (WDCM 00034)	Luxuriant
<i>Salmonella enterica</i> subsp. <i>enterica</i> Typhi ATCC 6539	Luxuriant
Streptococcus pyogenes ATCC 19615	Luxuriant
Salmonella enterica subsp.enterica Enteritidis ATCC 13076 (WDCM 00030)	Luxuriant
Salmonella enterica subsp. enterica Typhimurium ATCC 14028 (WDCM 00031)	Luxuriant
Yersinia enterocolitica subsp. enterocolitica ATCC 9610 (WDCM 00038)	Luxuriant
<i>Yersinia enterocolitica</i> subsp. <i>enterocolitica</i> ATCC 23715 (WDCM 00160)	Luxuriant

Cultural Response

Chemical Analysis :


Total nitrogen : $\geq 10.50 \%$ Amino Nitrogen : $\geq 3.50 \%$ Sodium chloride : $\leq 5.00 \%$ Loss on drying : $\leq 7.00 \%$ Residue on ignition : $\leq 15.00 \%$

Storage and Shelf Life

Store between 10-30°C in tightly closed container and away from bright light. Use before expiry date on label. On opening, product should be properly stored in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the container tightly after use.

Disposal

User must ensure safe disposal by autoclaving and/or incineration of used or unusable preparations of this product. Follow established laboratory procedures in disposing of infectious materials and material that comes into contact with clinical sample must be decontaminated and disposed of in accordance with current laboratory techniques.



Storage temperature



Do not use if package is damaged

HiMedia Laboratories Pvt Limited C-40,21/Y, MIDC, Wagle Ind Area Thane(W)–400604,Maharashtra,India

Revision : 09/2022

Disclaimer :

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMediaTM publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMediaTM Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal or therapeutic use but for laboratory, diagnostic, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.

HiMedia Laboratories Pvt. Ltd. Reg.Office : Plot No:C-40, Road No: 21Y, MIDC, Wagle IndustrialPage : 3 of 3Area, Thane(West)-400604, Maharashtra, INDIA.Tel:00-91-22-61471919/61169797/69034800, Fax:00-91-22-61471920.Email : techhelp@himedialabs.comWebsite : www.himedialabs.com